

ARTICLE XIV

STREETS AND SIDEWALKS

Section 15-221 Road and Sidewalk Requirements in Unsubdivided Developments.

(a) Within unsubdivided developments, all private roads and access ways shall be designed and constructed to facilitate the safe and convenient movement of motor vehicle and pedestrian traffic. Width of roads, use of curb and gutter, and paving specifications shall be determined by the provisions of this chapter dealing with parking (Article XVIII) and drainage (Article XVI). To the extent not otherwise covered in the foregoing articles, and to the extent that the requirements set forth in this article for subdivision streets may be relevant to the roads in unsubdivided developments, the requirements of this article may be applied to satisfy the standards set forth in the first sentence of this subsection.

(b) Whenever (i) a lot is proposed to be developed residentially for more than four dwelling units or non-residentially in such a fashion as to generate more than 40 vehicle trips per day, and (ii) if the lot were to be subdivided, a street would be required running through the lot to provide a connection between existing or planned adjacent streets in accordance with the provisions of Sections 15-214 and 15-217(a), then the developer shall be required to construct and dedicate the same street that would have been required had the property been subdivided.

(AMENDED 6/25/02)

(c) In all unsubdivided residential developments, sidewalks shall be provided linking dwelling units with other dwelling units, the public street, and on-site activity centers such as parking areas, laundry facilities, and recreational areas and facilities. Notwithstanding the foregoing, sidewalks shall not be required where pedestrians have access to a road that serves not more than nine dwelling units. **(AMENDED 4/24/84)**

(d) Whenever the permit issuing authority finds that a means of pedestrian access is necessary from an unsubdivided development to schools, parks, playgrounds, or other roads or facilities and that such access is not conveniently provided by sidewalks adjacent to the roads, the developer may be required to reserve an unobstructed easement of at least ten feet to provide such access.

(e) In unsubdivided nonresidential developments that abut a public street, sidewalks shall be constructed adjacent to such street if a sidewalk in that location is required by the officially adopted town sidewalk master plan. Whenever possible, such sidewalk shall be constructed within the public right-of-way.

(f) The sidewalks required by this section shall be at least five feet wide, except that, where practicable, the sidewalks in the B-1(c), B-1(g), B-2, and C-T zoning districts shall be at least ten feet wide. Sidewalks are to be constructed according to the specifications set forth in Appendix

Art. XIV STREET AND SIDEWALKS (con't)

C, except that the permit issuing authority may permit the installation of walkways constructed with other suitable materials when it concludes that: **(AMENDED 12/08/98; 4/8/03)**

- (1) Such walkways would serve the residents of the development as adequately as concrete sidewalks; and
- (2) Such walkways could be more environmentally desirable or more in keeping with the overall design of the development.