




Sarmiran, PLLC PO Box 1378 Hillsborough NC 27278

919 241-8745 v 919 241-8747 f



Retaining Wall - Royal Park

501 Highway 54 Bypass Carrboro, NC 27510






MINOR SITE PLAN


C1 0'





3 RETAINING WALL - NO SIDEWALK \$3.01 3/4" = 1'-0" COPING OVER FLASHING -GEOTEXTILE FILTER FABRIC ARCHITECTURAL CULTURED STONE-9Ga TRUSS TYPE REINFORCING AT 16"o.c. VERTICALLY IN WALL— #4 AT 40"o.c. - NOTE, THIS BAR MAY HOOK INTO FOUNDATION TO OMIT HOOK DOWEL: HOOK DOWEL TO MATCH SIZE AND SPACING OF VERTICAL REINFORCEMENT EXISTING SIDEWALK — PVC WEEP AT 24"o.c. THROUGH WALL FREE DRAINING FILL (5) #4 LONGITUDINAL FOOTING REINFORCEMENT #5 AT 12"o.c. (2) #4 LONGITUDINAL FOOTING REINFORCEMENT FOR TYING CAGE TOGETHER 8" 3' - 4" 4' - 0"





1 RETAINING WALL 3/4" = 1'-0"



Sarmiran, PLLC PO Box 1378 Hillsborough NC 27278

919 241-8745 v 919 241-8747 f



Retaining Wall -Royal Park

501 Highway 54 Bypass Carrboro, NC 27510

Project number 2127001

Date 12 / 21 / 2021

Drawn by JMC

Checked by JMC

Scale 3/4" = 1'-0"

Seal

Description



RETAINING WALL DETAILS

S3.01